AL)			

Award Number: DAMD17-00-1-0120

TITLE: UAB-Community Breast Cancer Network

PRINCIPAL INVESTIGATOR: Albert F. LoBuglio, M.D.

Mansoor Saleh, M.D.

CONTRACTING ORGANIZATION: The University of Alabama at Birmingham

Birmingham, Alabama 35294-0111

REPORT DATE: July 2002

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Macanagement and Burden Paneuvick Padjusting Project (7074-0188). Washington DC 20503

Management and Badget, Faperwork Reduction Flojer		T = ==================================		
1. AGENCY USE ONLY (Leave blank)		3. REPORT TYPE AND		
	July 2002	Annual (15 Jun		
4. TITLE AND SUBTITLE	_		5. FUNDING N	
UAB-Community Breast	Cancer Network		DAMD17-00	-1-0120
6. AUTHOR(S)	ANT CONTROL OF THE CO		1	
Albert F. LoBuglio,	M.D.			
Mansoor Saleh, M.D.				
7. PERFORMING ORGANIZATION NAM	ME(S) AND ADDRESS(ES)		8. PERFORMIN	G ORGANIZATION
			REPORT NU	MBER
The University of Al	abama at Birmingha	am	1	
Birmingham, Alabama	35294-0111			
E-Mail: Mansoor.Saleh@ccc.uab.e				
9. SPONSORING / MONITORING AGE	NCY NAME(S) AND ADDRESS(ES	6)		ING / MONITORING
U.S. Army Medical Research and M	fateriel Command		AGENCIA	REPORT NUMBER
Fort Detrick, Maryland 21702-5012				
Tott Dollion, Maryland 21, 02 3012	•			
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY S	STATEMENT			12b. DISTRIBUTION CODE
Approved for Public Rele		.imited		125. 5.01.1150 11011 0052
			1	
13. Abstract (Maximum 200 Words) (ab	ostract should contain no proprietan	or confidential informatic	an)	,!
To About (maximum ave 1. 1. 1.)	tondor official oction for proprietary	or cormochida informatio	<u>11)</u>	
_				

This Clinical Trial Network was aimed at forming a collaborative linkage between the UAB Comprehensive Cancer Center, community-based oncology practices and pharmaceutical sponsors, and providing access to women with breast cancer within the community to high priority clinical trials. To-date three phase I/II clinical trials and three phase III clinical trials have been activated at the network sites in Georgia (GCS), and a total of 49 patients have been accrued in the past 12 months. In addition, we have recently activated our first network site in Birmingham, AL. Overall, the DOD funded Clinical Trial Network has the unique potential of providing access to women with breast cancer in the community to cutting-edge, novel therapeutic trials previously only available at academic centers. We have been able to demonstrate that the DOD funding mechanism has successfully contributed to the conduct of high quality clinical trials in the community setting by providing funding for the infrastructure and research personnel in conjunction with training, leadership and oversight provided by the academic center.

14. SUBJECT TERMS breast cancer, translational breast cancer trials, phase I/II breast cancer trials			15. NUMBER OF PAGES 9 16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited

Table of Contents

Cover	1
SF 298	2
Table of Contents	3
Introduction	4
Body	4-5
Key Research Accomplishments	5-8
Reportable Outcomes	7-8
Conclusions	8
References	8-9
Appendices	9

Introduction

In 2000 we initiated a Clinical Trials Network linking the UAB Comprehensive Cancer Center with community oncology groups for the conduct of early breast cancer clinical trials using reagents developed by Cancer Center scientists, collaborators at the NCI and/or pharmaceutical partners. The Network currently encompasses 20 full service oncology practices in metropolitan Atlanta, and we have recently activated one site in Birmingham, Alabama. Clinical research coordination and leadership is provided by the UAB Cancer Center. The network activity is governed by a central IRB (UAB IRB) with centralized administrative oversight for budget and contracting (UAB Grants and Contracts Office), and oversight data management and data analysis provided centrally by the Cancer Center's Clinical Studies Unit (Biostatistics Shared Facility).

The specific aims are to:

- 1. Establish and operate an efficient clinical trials network linking the UAB Comprehensive Cancer Center with community oncologists for the specific purpose of promoting the conduct of innovative early clinical trials in the field of breast cancer.
- 2. Coordinate a collaborative relationship with pharmaceutical/bioindustry partners such that new treatment strategies using novel reagents can be designed and efficiently tested in patients with breast cancer.
- 3. Provide a web-based automated patient screening and enrollment system to promote efficient breast cancer patient accrual throughout the network.
- 4. Provide an efficient clinical trial management team and biostatistical analysis unit to ensure optimal data management, analysis and reporting.

2001-2002 Progress Report

This is the second annual report for the UAB Clinical Trial Network (UAB-CTN) established in collaboration between the UAB Comprehensive Cancer Center and community-based oncology practices in Alabama and Georgia. To date the affiliation between UAB and Georgia Cancer Specialists has been established and operational for the past two years. A total of six clinical trials involving breast cancer patients have been activated at the network sites in Georgia. In this past year, we have also activated one site in Birmingham, AL and one protocol has been activated at this site, however only non-breast cancer patients have been accrued to the protocol thus far. A major breakthrough in the ability to conduct breast cancer trials through this DOD funded mechanism was achieved in this past funding year when the DOD HSRB agreed to permit UAB IRB to provide central regulatory oversight and approval for the conduct of trials at the network sites. As a result we have been able to activate clinical trials much more efficiently, reduce duplication of IRB effort, and our accrual will demonstrate the resulting progress.

Six clinical trials have been activated within the network with a total accrual of 49 patients in the past 12 months.

The recent activation of Birmingham Hematology-Oncology, L.L.C. as a network site is a major accomplishment, demonstrating the ability of the UAB Comprehensive Cancer Center to work with community oncology practices in the city to form alliances in the area of clinical research for the benefit of patients. Furthermore, recent improvement in the infrastructure and administrative oversight as well as training of research staff at the Georgia Cancer Specialists sites have substantially improved the overall ability to conduct clinical trials at these sites. Given both these achievements, we anticipate further progress in terms of study activation and accrual in the next funding period.

Key Research Accomplishments

The UAB-Community Breast Cancer Clinical Trial Network includes three designated research clinics in Atlanta drawing patients from 20 GCS clinics, including one phase I/II site dedicated to the conduct of early clinical trials, and two sites involved in the conduct of phase II/III clinical trials. Most recently one network site has been activated at Birmingham Hematology-Oncology, L.L.C. in Birmingham, AL for the conduct of phase II/III clinical trials.

A total of six breast cancer protocols have been activated at the GCS sites and one protocol at Birmingham Hematology-Oncology, L.L.C. site.

The following table provides the accrual for each of the six protocols over the past 12 months compared to the previous 12 months.

UAB-Community Breast Cancer Clinical Trials Network

Protocol	Patient Accrual – June 15, 2000-June 14, 2001	Patient Accrual – June 15, 2001-June 14, 2002
UAB 9912 – A Phase II Study	2	2
Using SGN-15 (cBR96-		
Doxorubicin Immuno-		
conjugate) in Combination		
with Taxotere for the		
Treatment of Metastatic or		
Recurrent Breast Carcinoma		
UAB 0009 – A Phase I	Not active – 0	2
Clinical and Pharmacokinetic		
Evaluation of Oral CI-1033		
Given as a Single Dose Daily		
in Patients with Advanced		
Nonhematologic Malignancies		

Protocol	Patient Accrual – June 15, 2000-June 14, 2001	Patient Accrual – June 15, 2001-June 14, 2002
UAB 0028 – A Multicenter, Open-Label, Phase III, Randomized, Active- Controlled Trial Evaluating	Not active – 0	12
the Efficacy, Safety, and Pharmacokinetics of rhuMAb		
VEGF (BEVACIZUMAB), in Combination with		
Capecitabine Chemotherapy,		
in Subjects with Previously		
Treated Metastatic Breast		
Cancer		
UAB 0047 – A Multicenter	Not active – 0	24
Phase III Randomized Trial		
Comparing Docetaxel in		
Combination with		
Doxorubicin and		
Cyclophosphamide (TAC)		
Versus Doxorubicin and	,	
Cyclophosphamide Followed by Docetaxel (AC \rightarrow T) as		
Adjuvant Treatment of		
Operable Breast Cancer		
HER2NEU Negative Patients		
with Positive Axillary Lymph		
Nodes (BCIRG 005)		
UAB 0106 – A Multicenter	Not active – 0	5
Phase Ill Randomized Trial		
Comparing Doxorubicin and		
Cyclophosphamide Followed		
by Docetaxel (AC \rightarrow T) With		
Doxorubicin and		
Cyclophosphamide Followed		
by Docetaxel and Trastuzumab (AC→TH) and		
With Docetaxel, Platinum Salt		
and Trastuzumab (TCH) in the		
Adjuvant Treatment of Node		
Positive and High Risk Node		
Negative Patients with		
Operable Breast Cancer		
Containing the Her2Neu		
Alteration		

Protocol	Patient Accrual – June 15, 2000-June 14, 2001	Patient Accrual – June 15, 2001-June 14, 2002	
UAB 0152 – A Multicenter Phase 2 Study of CI-1040 in Patients with Advanced Non- Small Cell Lung Cancer, Breast Cancer, Colon Cancer, or Pancreatic Cancer	Not active – 0	4	
Total Trials Activated	Total Accrual 2001	Total Accrual 2002	
6	2	49	

Three publications involving DOD funded trials conducted with the Network were presented at the recent ASCO 2002 meeting. One abstract has been submitted for the Era of Hope 2002 – Department of Defense Breast Cancer Research Program Meeting.

Reportable Outcomes

Clinical Trials Network Milestone Events

- February 6, 2002 Approval from the DOD HSRB for the use of UAB IRB as regulatory oversight and approval body for the conduct of clinical trials within the Network
- The following trials were activated at the network sites
 - UAB 0009 A Phase I Clinical and Pharmacokinetic Evaluation of Oral CI-1033 Given as a Single Dose Daily in Patients with Advanced Nonhematologic Malignancies

Activation Date – 10/18/01

Accrual Number – 2

UAB 0028 – A Multicenter, Open-Label, Phase III, Randomized, Active-Controlled Trial Evaluating the Efficacy, Safety, and Pharmacokinetics of rhuMAb VEGF (BEVACIZUMAB), in Combination with Capecitabine Chemotherapy, in Subjects with Previously Treated Metastatic Breast Cancer

Activation Date – 02/02 Accrual Number – 12

 UAB 0047 – A Multicenter Phase III Randomized Trial Comparing Docetaxel in Combination with Doxorubicin and Cyclophosphamide (TAC) Versus Doxorubicin and Cyclophosphamide Followed by Docetaxel (AC → T) as Adjuvant Treatment of Operable Breast Cancer HER2NEU Negative Patients with Positive Axillary Lymph Nodes (BCIRG 005)

Activation Date - 8/28/01

Accrual Number - 24

UAB 0106 – A Multicenter Phase Ill Randomized Trial Comparing
 Doxorubicin and Cyclophosphamide Followed by Docetaxel (AC→T)
 With Doxorubicin and Cyclophosphamide Followed by Docetaxel and
 Trastuzumab (AC→TH) and With Docetaxel, Platinum Salt and
 Trastuzumab (TCH) in the Adjuvant Treatment of Node Positive and High
 Risk Node Negative Patients with Operable Breast Cancer Containing the
 Her2Neu Alteration

Activation Date – 02/02 Accrual Number - 5

 UAB 0152 – A Multicenter Phase 2 Study of CI-1040 in Patients with Advanced Non-Small Cell Lung Cancer, Breast Cancer, Colon Cancer, or Pancreatic Cancer

Activation Date – 02/02 Accrual Number – 4

Conclusions

The UAB-CTN provides a unique setup for the conduct of early phase I/II as well as phase II/III breast cancer clinical trials in the community setting. The funding of clinical research centers within the community provides the impetus for committed and motivated community-based clinicians to conduct clinical trials in the community setting in exchange for access to such trials via a linkage to an academic center. Over the past 12 months we have been able to demonstrate that community based research centers have the patient base to support the conduct of clinical trials. Given the right setting, commitment to clinical research by the community based center, and committed and appropriately trained research staff, such community based research centers are capable of conducting high quality clinical research, and contributing to the achievements of the objectives of the clinical trials in a much shorter time span. This provides benefits for the participating centers, the study sponsors and most importantly the patients. We have also learned that clinical research at the community level has to be held at the same standard as at the academic centers. Given the dedication on part of the community practice and a cadre of well-trained research staff, the conduct of clinical trials within the community can succeed and be beneficial for all involved parties.

References

1. Saleh MN, Bookman M, Mauer A, Posey J, Rinehart J, Fleming G, Meropol NJ, Khazaeli M, Thornton J, Sprague E, Schol J, Yeslow G, Lorenz J, Siegall C, Sing A, LoBuglio A: Rituximab delays human anti-toxin antibody onset: phase I study of SGN-10 (BR96 sFv-PE40) in patients with advanced stage carcinoma. *American Society of Clinical Oncology* 37th Annual Meeting, May 18-21, 2002

- 2. Nabell L, Saleh M, Marshall J, Hart L, O'Keefe C, Thornton J, Carlisle R, Lavelle P, Ley L, Malero-Jordan N, Sandler A, Siegall C, LoBuglio A, Sing A: Phase II study of SGN-15 (cBR96-doxorubicin immunoconjugate) combined with docetaxel for the treatment of metastatic breast and colorectal carcinoma. *American Society of Clinical Oncology* 37th Annual Meeting, May 18-21, 2002
- 3. Rinehart JJ, Wilding G, Willson J, Krishnamurthi S, Natale R, Mani S, Burnett D, Olson S, Bycott P, Owens-Grillo JK, Hes M, Lenehan P: A phase 1 clinical and pharmacokinetic study of oral CI-1033, a pan-erbB tyrosine kinase inhibitor, in patients with advanced solid tumors. *American Society of Clinical Oncology 37th Annual Meeting*, May 18-21, 2002
- 4. Saleh M, Rinehart J, Feinberg B, Galleshaw J, DelGrosso A, Bunch P, Lavelle P, LoBuglio A: Community based clinical trials network—innovative collaboration between academic center and community practice. Submitted, Era of Hope 2002 Department of Defense Breast Cancer Research Program Meeting

Appendices

None.